


In the Claims

Please amend the claims according to the claim listing provided below.

1. (original) A compound of Formula (I):



wherein:

W and Y are independently a straight or branched chain C₁₋₅ alkylene group optionally containing one double bond, one triple bond or carbonyl, wherein said C₁₋₅ alkylene group is optionally substituted with halogen, hydroxyl, C₁₋₄ alkyl, C₁₋₄ haloalkyl or C₁₋₄ alkoxy;

X is -NR₃C(O)-, -C(O)NR₃, -NR₃S(O)₂-, -S(O)₂NR₃-,
-NR₃C(O)NR₄-, -NR₃C(O)O-, -OC(O)NR₃-, -NR₃-, -C(O)-, -CH(OH)-, -C(NH)-,
-O-, -S-, -S(O)- or -S(O)₂-;

R₃ and R₄ are independently H, C₁₋₄ alkyl, phenyl or heteroaryl, wherein each of said alkyl, phenyl and heteroaryl are optionally substituted with 1 to 5 substituents selected from the group consisting of halogen, hydroxyl, thiol, cyano, nitro, C₁₋₄ haloalkyl, amino, C₁₋₄ alkylamino, di-C₁₋₄-alkylamino, C₁₋₄ alkyl, C₁₋₄ alkoxy, C₂₋₄ alkenyl, C₂₋₄ alkynyl, C₁₋₄ haloalkoxy, C₁₋₄ alkylthio, C₁₋₄ alkylsulfinyl, C₁₋₄ alkylsulfonyl, C₁₋₄ haloalkylthio, C₁₋₄ haloalkylsulfinyl and C₁₋₄ haloalkylsulfonyl;

Z is H, halogen, phenyl or heteroaryl, wherein said phenyl and heteroaryl are optionally substituted with 1 to 5 substituents selected from the group consisting of halogen, hydroxy, thiol, cyano, nitro, C₁₋₄ haloalkyl, amino, C₁₋₄ alkylamino, di-C₁₋₄-alkylamino, C₁₋₄ alkyl, C₁₋₄ alkoxy, C₂₋₄ alkenyl, C₂₋₄ alkynyl, C₁₋₄ haloalkoxy, C₁₋₄ alkylthio, C₁₋₄ alkylsulfinyl, C₁₋₄ alkylsulfonyl, C₁₋₄ haloalkylthio, C₁₋₄ haloalkylsulfinyl and C₁₋₄ haloalkylsulfonyl;

R₁ is H, hydroxyl, halogen, C₁₋₄ alkyl or C₁₋₄ haloalkyl;

R₂ is H or C₁₋₈ alkyl and

“n” and “m” are each independently 0 or 1; or

a pharmaceutically acceptable salt, solvate or hydrate thereof;

provided that:

i) when both R₁ and R₂ are H then -[W]_n-X-[Y]_m-Z together is not CO₂H,

C(O)-C₆H₄-*p*-O-C₈H₁₇, OCH₂CH₃, OH, CH₂CH₂CH₂CO₂H, CH₂CH₂CH₂CO₂H,

CH₂CO₂H and CH₂CH₂CO₂H;

ii) when R₁ is CH₃ and R₂ is H then -[W]_n-X-[Y]_m-Z together is not

CH₂CO₂H, C(O)CH=CH C₆H₅, C(O)C₆H₄-*p*-OCH₃, CO₂H, C(O)CH₃, C(O)C₆H₄-*o*-CH₃,

C(O)C₆H₄-*o*-Br, C(O)C₆H₄-*o*-Cl, and C(O)C₆H₅;

iii) when R₁ is Br and R₂ is H then -[W]_n-X-[Y]_m-Z together is not CO₂H;

iv) when R₁ is OH and R₂ is H then -[W]_n-X-[Y]_m-Z together is not CO₂H;

v) when R₁ is H and R₂ is CH₃ then -[W]_n-X-[Y]_m-Z together is not 2,6-

dichloro-4-trifluoromethylphenoxy, C(O)NH-C₆H₄-*p*-OCH₂CH₃, NHC(O)CH(CH₃)₂, SCH₃,

C(O)-C₆H₄-*p*-O-C₈H₁₇, SCH₂CH₃, C(O)NHC₆H₅, CH(OCH₃)₂, CH₂OC(O)CH₃, CO₂H,

CO₂CH₃, C(O)C₆H₄-*p*-NO₂, C(O)C₆H₅, CH₂CH₂CO₂CH₃, CH₂CH₂CH₂CH₂CO₂CH₃,

CH₂CH₂CH₂CO₂CH₃ and CH₂CO₂CH₃;

vi) when R₁ is OH and R₂ is CH₃ then -[W]_n-X-[Y]_m-Z together is not

CH₂OCH₂C₆H₅, CH₂OCH(CH₃)₂ and CH₂OH;

vii) when R₂ is CH₃ then:

R₁ is not CH₃ and -[W]_n-X-[Y]_m-Z together is not 2,6-dichloro-4-trifluoromethylphenoxy;

R₁ is not I and -[W]_n-X-[Y]_m-Z together is not CO₂C(CH₃)₃;

R₁ is not C(CH₃)₃ and -[W]_n-X-[Y]_m-Z together is not formyl;

R₁ is not Br and -[W]_n-X-[Y]_m-Z together is not CO₂CH₃;

and

R₁ is not CH₂CH₂CH₂CH₃ and -[W]_n-X-[Y]_m-Z together is not formyl;

viii) when R₁ is H and R₂ is CH₂CH₃ then -[W]_n-X-[Y]_m-Z together is not

CH₂SCH₂CH₃, OCH₂CH₂CH=CH₂, CH₂CH₂CH₂OH, CH₂CH₂CHO, CO₂CH₂CH₃, OCH₃,

C(O)CH₂Br, CO₂C₈H₁₇, formyl, OH, CH₂N(CH₂CH₂Cl)₂, CH(CH₃)OC(O)CH₃, CH₂OH,

CH₂OC(O)CH₃, C(O)CH₃, C(O)C₆H₅ and C(O)NHCH₂CO₂CH₂CH₃.

ix) when R₁ is CH₃ and R₂ is CH₂CH₃ then -[W]_n-X-[Y]_m-Z together is not

CH(OH)C₆H₄-*p*-N(CH₃)₂, C(O)CH₂C(O)CH₃, CO₂CH₂C₆H₅, CO₂CH₃, C(O)CH₂CH₂CH₃,

C(O)CH₃, C(O)C₆H₄-*p*-OCH₃, C(O)C₆H₄-*o*-Br, C(O)C₆H₄-*p*-Cl, C(O)C₆H₄-*o*-Cl,
C(O)CH₂C₆H₅ and C(O)C₆H₅;

x) when R₂ is CH₂CH₃ then:

R₁ is not I and -[W]_n-X-[Y]_m-Z together is not CO₂CH₂CH₃;

R₁ is not CF₃ and -[W]_n-X-[Y]_m-Z together is not CO₂CH₂CH₃;

and

R₁ is not Br and -[W]_n-X-[Y]_m-Z together is not CO₂CH₂CH₃;

xi) when R₁ is OH and R₂ is CH₂CH₃ then -[W]_n-X-[Y]_m-Z together is not
C(O)C₆H₅, C(O)NH₂ and CO₂CH₂CH₃;

xii) when R₁ is H and R₂ is C(CH₃)₃ then -[W]_n-X-[Y]_m-Z together is not
CO₂C(CH₃)₃, C(O)NHC(O)CH₃ and C(O)NH₂;

xiii) when R₁ is OH and R₂ is CH₂CH₂CH₂CH₃ then -[W]_n-X-[Y]_m-Z together is not
C(O)C₆H₅; and

xiv) when X is -NR₃- then "n" is 1.

2. (original) The compound according to claim 1 wherein "n" is 0.

3. (original) The compound according to claim 1 wherein "n" is 1.

Claims 4 to 149 deleted.

150. (new) The compound according to claim 1 wherein "m" is 0.

151. (new) The compound according to claim 1 wherein "m" is 1.

152. (new) The compound according to claim 1 wherein W is the straight or branched C₁₋₅
alkylene group optionally containing one double bond, one triple bond or carbonyl, wherein
said C₁₋₅ alkylene group is optionally substituted with halogen, hydroxyl, C₁₋₄ alkyl or C₁₋₄
alkoxy.

153. (new) The compound according to claim 152 wherein W is selected from the group
consisting of -CH₂-, -CH₂CH₂-, -CH(CH₃)CH₂-, -CH₂CH(CH₃)-,

-C(CH₃)₂CH₂-, -CH₂C(CH₃)₂-, -CH₂CH₂CH₂-, -CH₂CH₂CH₂CH₂-, -CH₂C(O)-, -C(O)CH₂-,
-CH(CH₃)C(O)-, -C(O)CH(CH₃)-, -CH₂CH₂C(O)-, -C(O)CH₂CH₂-, -C(CH₃)₂C(O)-,
-C(O)C(CH₃)₂-, -C(CH₃)₂CH₂C(O)-, -C(O)CH₂C(CH₃)₂-, -CH₂C(O)CH₂-,
-CH₂CH₂CH₂C(O)-, -C(O)CH₂CH₂CH₂-, -CH(CH₃)CH₂CH₂C(O)-,
-C(O)CH₂CH₂CH(CH₃)-, -CH₂CH₂C(O)CH₂-, -CH₂C(O)CH₂CH₂-, -CH=CHC(O)-,
-C(O)CH=CH-, -C(CH₃)=CHC(O)-, and -C(O)CH=C(CH₃)-, each optionally substituted
with halogen, hydroxyl, C₁₋₄ alkyl or C₁₋₄ alkoxy.

154. (new) The compound according to claim 152 wherein W is -CH(CH₃)-, -CH(OCH₃)CH₂-,
or -CH₂CH(OCH₃)-, each optionally substituted with halogen, hydroxyl, C₁₋₄ alkyl or C₁₋₄
alkoxy.

155. (new) The compound according to claim 152 wherein W is selected from the group
consisting of -CH₂-, -CH(CH₃)-, -C(CH₃)₂-, -CH₂CH₂-, -CH(CH₃)CH₂-, -CH₂CH(CH₃)-,
-C(CH₃)₂CH₂-, -CH₂C(CH₃)₂-, -CH(OCH₃)CH₂-, -CH₂CH(OCH₃)-, -CH₂CH₂CH₂-,
-CH₂CH₂CH₂CH₂-, -CH₂C(O)-, -C(O)CH₂-, -CH(CH₃)C(O)-, -C(O)CH(CH₃)-,
-CH₂CH₂C(O)-, -C(O)CH₂CH₂-, -C(CH₃)₂C(O)-, -C(O)C(CH₃)₂-, -C(CH₃)₂CH₂C(O)-,
-C(O)CH₂C(CH₃)₂-, -CH₂C(O)CH₂-, -CH₂CH₂CH₂C(O)-, -C(O)CH₂CH₂CH₂-,
-CH(CH₃)CH₂CH₂C(O)-, -C(O)CH₂CH₂CH(CH₃)-, -CH₂CH₂C(O)CH₂-,
-CH₂C(O)CH₂CH₂-, -CH=CHC(O)-, -C(O)CH=CH-, -C(CH₃)=CHC(O)-, and
-C(O)CH=C(CH₃)-.

156. (new) The compound according to claim 152 wherein W is -CH=CH-, -C≡C-, or -C(O)-.

157. (new) The compound according to claim 1 wherein Y is the straight or branched chain C₁₋₅
alkylene group optionally containing one double bond, one triple bond or carbonyl, wherein
said C₁₋₅ alkylene group is optionally substituted with halogen, hydroxyl, C₁₋₄ alkyl or C₁₋₄
alkoxy.

158. (new) The compound according to claim 157 wherein Y is selected from the group
consisting of -CH₂-, -CH₂CH₂-, -CH(CH₃)CH₂-, -CH₂CH(CH₃)-, -C(CH₃)₂CH₂-,
-CH₂C(CH₃)₂-, -CH₂CH₂CH₂-, -CH₂CH₂CH₂CH₂-, -C≡CCH₂-, -CH₂C≡C-, -CH₂C(O)-,
-C(O)CH₂-, -CH(CH₃)C(O)-, -C(O)CH(CH₃)-, -CH₂CH₂C(O)-, -C(O)CH₂CH₂-,

-C(CH₃)₂CH₂C(O)-, -C(O)CH₂C(CH₃)₂-, -CH₂C(O)CH₂-, -CH₂CH₂CH₂C(O)-,
-C(O)CH₂CH₂CH₂-, -CH(CH₃)CH₂CH₂C(O)-, -C(O)CH₂CH₂CH(CH₃)-,
-CH₂CH₂C(O)CH₂-, -CH₂C(O)CH₂CH₂-, -CH=CHC(O)-, -C(O)CH=CH-,
-C(CH₃)=CHC(O)-, and -C(O)CH=C(CH₃)-, each optionally substituted with halogen,
hydroxyl, C₁₋₄ alkyl or C₁₋₄ alkoxy.

159. (new) The compound according to claim 157 wherein Y is selected from the group consisting of -CH₂- , -CH₂CH₂- , -CH(CH₃)CH₂- , -CH₂CH(CH₃)- , -C(CH₃)₂CH₂- ,
-CH₂C(CH₃)₂- , -CH₂CH₂CH₂- , -CH₂CH₂CH₂CH₂- , -C≡CCH₂- , -CH₂C≡C- , -CH₂C(O)- ,
-C(O)CH₂- , -CH(CH₃)C(O)- , -C(O)CH(CH₃)- , -CH₂CH₂C(O)- , -C(O)CH₂CH₂- ,
-C(CH₃)₂CH₂C(O)- , -C(O)CH₂C(CH₃)₂- , -CH₂C(O)CH₂- , -CH₂CH₂CH₂C(O)- ,
-C(O)CH₂CH₂CH₂- , -CH(CH₃)CH₂CH₂C(O)- , -C(O)CH₂CH₂CH(CH₃)- ,
-CH₂CH₂C(O)CH₂- , -CH₂C(O)CH₂CH₂- , -CH=CHC(O)- , -C(O)CH=CH- ,
-C(CH₃)=CHC(O)-, and -C(O)CH=C(CH₃)-.

160. (new) The compound according to claim 157 wherein Y is -CH(CH₃)- optionally substituted with halogen, hydroxyl or C₁₋₄ alkoxy.

161. (new) The compound according to claim 157 wherein Y is -CH(OCH₃)CH₂- or
-CH₂CH(OCH₃)- optionally substituted with halogen, hydroxyl or C₁₋₄ alkyl.

162. (new) The compound according to claim 157 wherein Y is -CH=CH- optionally substituted with C₁₋₄ alkyl or C₁₋₄ alkoxy.

163. (new) The compound according to claim 157 wherein Y is -C(CH₃)₂- , -C≡C- , -C(O)- ,
-C(CH₃)₂C(O)-, or -C(O)C(CH₃)₂-.

164. (new) The compound according to claim 1 wherein X is -NHC(O)- or -C(O)NH-.

165. (new) The compound according to claim 1 wherein X is -NH- or -NCH₃-.


166. (new) The compound according to claim 1 wherein X is selected from the group consisting of -C(O)-, -CH(OH)-, -C(NH)-, -O-, -S-, -S(O)-, or -S(O)₂-.

167. (new) The compound according to claim 1 wherein Z is H, halogen, or phenyl.
168. (new) The compound according to claim 1 wherein Z is phenyl optionally substituted with 1 to 3 substituents selected from the group consisting of -F, -Cl, -Br, -CF₃, -NHCH₃, -N(CH₃)₂, -CH₃, -CH₂CH₃, -OCH₃ and -OCF₃.
169. (new) The compound according to claim 1 wherein Z is heteroaryl optionally substituted with 1 to 3 substituents selected from the group consisting of -F, -Cl, -Br, -CF₃, -NHCH₃, -N(CH₃)₂, -CH₃, -CH₂CH₃, -OCH₃ and -OCF₃.
170. (new) The compound according to claim 1 wherein R₁ is H.
171. (new) The compound according to claim 1 wherein R₁ is hydroxyl.
172. (new) The compound according to claim 1 wherein R₁ is halogen.
173. (new) The compound according to claim 1 wherein R₁ is C₁₋₄ alkyl.
174. (new) The compound according to claim 1 wherein R₁ is C₁₋₄ haloalkyl.
175. (new) The compound according to claim 1 wherein R₂ is H.
176. (new) The compound according to claim 1 wherein R₂ is C₁₋₈ alkyl.
177. (new) The compound according to claim 1 selected from the group consisting of:
5-Ethylsulfanyl methyl-1H-pyrazole-3-carboxylic acid;
5-Ethanesulfinyl methyl-1H-pyrazole-3-carboxylic acid;
5-Ethanesulfonyl methyl-1H-pyrazole-3-carboxylic acid;
5-(2-Oxo-propoxymethyl)-1H-pyrazole-3-carboxylic acid;
5-Prop-2-nyloxy methyl-1H-pyrazole-3-carboxylic acid;
5-Carbamoyl-1H-pyrazole-3-carboxylic acid;
5-(1-Methylsulfanyl-ethyl)-1H-pyrazole-3-carboxylic acid;

5-(1-Methanesulfinyl-ethyl)-1H-pyrazole-3-carboxylic acid;
5-(1-Methanesulfonyl-ethyl)-1H-pyrazole-3-carboxylic acid;
5-(1,1-Dimethoxy-ethyl)-1H-pyrazole-3-carboxylic acid;
5-(2-Carboxy-1,1-dimethyl-ethyl)-1H-pyrazole-3-carboxylic acid;
5-(1-Acetoxy-ethyl)-1H-pyrazole-3-carboxylic acid;
5-(3-Hydroxy-propyl)-1H-pyrazole-3-carboxylic acid;
5-(1-Chloro-3-hydroxy-propyl)-1H-pyrazole-3-carboxylic acid;
5-(2-Hydroxy-ethyl)-1H-pyrazole-3-carboxylic acid;
5-(2-Hydroxy-1-methyl-ethyl)-1H-pyrazole-3-carboxylic acid;
5-(2-Carboxy-1-methyl-vinyl)-1H-pyrazole-3-carboxylic acid;
5-Propylcarbamoylmethyl-1H-pyrazole-3-carboxylic acid;
5-(2-Amino-vinyl)-1H-pyrazole-3-carboxylic acid;
5-(2-Amino-propyl)-1H-pyrazole-3-carboxylic acid;
5-(2-Dimethylamino-1-methyl-ethyl)-1H-pyrazole-3-carboxylic acid;
5-(1-Hydroxy-ethyl)-1H-pyrazole-3-carboxylic acid;
5-(1-Hydroxy-1-methyl-ethyl)-1H-pyrazole-3-carboxylic acid
5-(2-Hydroxy-2-methyl-propyl)-1H-pyrazole-3-carboxylic acid;
5-(3-Carboxy-1-methyl-propyl)-1H-pyrazole-3-carboxylic acid;
5-(2-Carboxy-vinyl)-1H-pyrazole-3-carboxylic acid;
5-(2-Methoxy-vinyl)-1H-pyrazole-3-carboxylic acid;
5-(3-Acetoxy-propyl)-1H-pyrazole-3-carboxylic acid;
5-Carbamoylmethyl-1H-pyrazole-3-carboxylic acid;
5-Hydroxymethyl-1H-pyrazole-3-carboxylic acid;
5-(2,2-Dimethoxy-ethyl)-1H-pyrazole-3-carboxylic acid;
5-(2-Imino-propyl)-1H-pyrazole-3-carboxylic acid;
5-(2-Amino-2-methyl-propyl)-1H-pyrazole-3-carboxylic acid;
5-(Ethoxycarbonyl-fluoro-methyl)-1H-pyrazole-3-carboxylic acid;
5-(1-Ethoxycarbonyl-ethyl)-1H-pyrazole-3-carboxylic acid;
5-Ethoxycarbonylmethyl-1H-pyrazole-3-carboxylic acid;
5-(2-Ethoxycarbonyl-ethyl)-1H-pyrazole-3-carboxylic acid;
5-Methoxymethyl-1H-pyrazole-3-carboxylic acid;
5-(1-Methoxycarbonyl-1-methyl-ethyl)-1H-pyrazole-3-carboxylic acid;
5-(1-Hydroxy-1-methoxycarbonyl-ethyl)-1H-pyrazole-3-carboxylic acid;

5-(3-Methoxycarbonyl-propyl)-1H-pyrazole-3-carboxylic acid;
5-(2-Methoxycarbonyl-vinyl)-1H-pyrazole-3-carboxylic acid;
5-Dimethylcarbamoylmethyl-1H-pyrazole-3-carboxylic acid;
1H-Pyrazole-3,5-dicarboxylic acid;
5-Ethoxymethyl-1H-pyrazole-3-carboxylic acid;
5-(2-Methoxy-ethyl)-1H-pyrazole-3-carboxylic acid;
5-(3-Methoxy-propyl)-1H-pyrazole-3-carboxylic acid;
5-Methylsulfanyl methyl-1H-pyrazole-3-carboxylic acid;
5-Methanesulfinylmethyl-1H-pyrazole-3-carboxylic acid;
5-Methanesulfonylmethyl-1H-pyrazole-3-carboxylic acid;
5-(2-Methylsulfanyl-ethyl)-1H-pyrazole-3-carboxylic acid;
5-(2-Methanesulfinyl-ethyl)-1H-pyrazole-3-carboxylic acid;
5-(2-Methanesulfonyl-ethyl)-1H-pyrazole-3-carboxylic acid;
5-(3-Methylsulfanyl-propyl)-1H-pyrazole-3-carboxylic acid;
5-(3-Methanesulfinyl-propyl)-1H-pyrazole-3-carboxylic acid;
5-(3-Methanesulfonyl-propyl)-1H-pyrazole-3-carboxylic acid;
5-(2-Amino-ethyl)-1H-pyrazole-3-carboxylic acid;
5-(2-Methylamino-ethyl)-1H-pyrazole-3-carboxylic acid;
5-(2-Dimethylamino-ethyl)-1H-pyrazole-3-carboxylic acid;
5-(2-Oxo-propyl)-1H-pyrazole-3-carboxylic acid;
5-(3-Oxo-butyl)-1H-pyrazole-3-carboxylic acid;
5-(Benzylamino-methyl)-1H-pyrazole-3-carboxylic acid;
5-Methoxymethyl-1H-pyrazole-3-carboxylic acid;
5-Ethoxymethyl-1H-pyrazole-3-carboxylic acid; and
5-(2,2-Diethoxy-ethyl)-1H-pyrazole-3-carboxylic acid; or
a pharmaceutically acceptable salt, solvate or hydrate thereof.

178. (new) A pharmaceutical composition comprising a pharmaceutically acceptable carrier in combination with at least one compound according to Formula (I):



wherein:

W and Y are independently a straight or branched chain C₁₋₅ alkylene group optionally containing one double bond, one triple bond or carbonyl, wherein said C₁₋₅ alkylene group is optionally substituted with halogen, hydroxyl, C₁₋₄ alkyl, C₁₋₄ haloalkyl or C₁₋₄ alkoxy;

X is -NR₃C(O)-, -C(O)NR₃, -NR₃S(O)₂-, -S(O)₂NR₃-,
-NR₃C(O)NR₄-, -NR₃C(O)O-, -OC(O)NR₃-, -NR₃-, -C(O)-, -CH(OH)-, -C(NH)-,
-O-, -S-, -S(O)- or -S(O)₂-;

R₃ and R₄ are independently H, C₁₋₄ alkyl, phenyl or heteroaryl, wherein each of said alkyl, phenyl and heteroaryl are optionally substituted with 1 to 5 substituents selected from the group consisting of halogen, hydroxyl, thiol, cyano, nitro, C₁₋₄ haloalkyl, amino, C₁₋₄ alkylamino, di-C₁₋₄-alkylamino, C₁₋₄ alkyl, C₁₋₄ alkoxy, C₂₋₄ alkenyl, C₂₋₄ alkynyl, C₁₋₄ haloalkoxy, C₁₋₄ alkylthio, C₁₋₄ alkylsulfinyl, C₁₋₄ alkylsulfonyl, C₁₋₄ haloalkylthio, C₁₋₄ haloalkylsulfinyl and C₁₋₄ haloalkylsulfonyl;

Z is H, halogen, phenyl or heteroaryl, wherein said phenyl and heteroaryl are optionally substituted with 1 to 5 substituents selected from the group consisting of halogen, hydroxy, thiol, cyano, nitro, C₁₋₄ haloalkyl, amino, C₁₋₄ alkylamino, di-C₁₋₄-alkylamino, C₁₋₄ alkyl, C₁₋₄ alkoxy, C₂₋₄ alkenyl, C₂₋₄ alkynyl, C₁₋₄ haloalkoxy, C₁₋₄ alkylthio, C₁₋₄ alkylsulfinyl, C₁₋₄ alkylsulfonyl, C₁₋₄ haloalkylthio, C₁₋₄ haloalkylsulfinyl and C₁₋₄ haloalkylsulfonyl;

R₁ is H, hydroxyl, halogen, C₁₋₄ alkyl or C₁₋₄ haloalkyl;

R₂ is H or C₁₋₈ alkyl and

“n” and “m” are each independently 0 or 1; or
a pharmaceutically acceptable salt, solvate or hydrate thereof;
provided that when X is -NR₃- then “n” is 1.

179. A method for prophylaxis or treatment of a metabolic-related disorder in an individual in need of said prophylaxis or treatment comprising administering to the individual a therapeutically effective amount of a compound according to claim 1 or a pharmaceutical composition according to claim 178.
180. The method according to claim 179 wherein the metabolic-related disorder is selected from the group consisting of dyslipidemia, atherosclerosis, coronary heart disease, insulin resistance, obesity, impaired glucose tolerance, atheromatous disease, hypertension, stroke, Syndrome X, heart disease and type 2 diabetes.
181. The method according to claim 180 wherein the metabolic-related disorder is dyslipidemia, atherosclerosis, coronary heart disease, insulin resistance and type 2 diabetes.
182. The method according to claim 180 wherein the metabolic-related disorder is dyslipidemia.
183. The method according to claim 180 wherein the metabolic-related disorder is atherosclerosis.
184. The method according to claim 180 wherein the metabolic-related disorder is coronary heart disease.
185. The method according to claim 180 wherein the metabolic-related disorder is insulin resistance.
186. The method according to claim 180 wherein the metabolic-related disorder is type 2 diabetes.
187. The method of producing a pharmaceutical composition comprising admixing at least one compound according to claim 1 and a pharmaceutically acceptable carrier or excipient.